

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	29324	clean\$3 with (memory or block or chunk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:49
L3	256	1 and 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:50
L4	808	(crosscall\$3 or cross call\$3 or cross-call\$3 or ping\$3) with (processor or cpu or processing unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:23
L5	0	3 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:51
L6	17	2 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:53
L7	10	1 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:54
L9	1744	(711/170.ccls or 711/171.ccls. or 711/172.ccls. or 711/173.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:08

EAST Search History

L10	2	4 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:54
L11	5201	dynamic\$4 near3(allocat\$5 or assign\$3) with (memory or block or chunk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:16
L12	1	dynamic\$4 near3 (allocat\$5 or assign\$3) with (memory or block or chunk) and rins\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:56
L13	9	dynamic\$4 near3 (allocat\$5 or assign\$3) with (memory or block or chunk) with dirty	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:58
L14	12961	(free or unallocat\$3 or allocat\$3 or deallocat\$3 or available or garbage or dirty) adj (table or list or directory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:58
L15	4	(free or unallocat\$3 or allocat\$3 or deallocat\$3 or available or garbage or dirty) adj (table or list or directory) and l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 06:59
L17	29	dynamic\$4 with (allocat\$5 or assign\$3) with (memory or block or chunk) with clean\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:04

EAST Search History

L18	343	(allocat\$5 or assign\$3) near6 (memory or block or chunk) with clean\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:05
L19	4	(allocat\$5 or assign\$3) near6 (memory or block or chunk) with clean\$3 and l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:07
L20	1058	(711/170.ccls or 711/171.ccls. or 711/172.ccls. or 711/173.ccls.) and (allocat\$5 or assign\$5) with (memory or block or chunk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:09
L21	204	(711/170.ccls or 711/171.ccls. or 711/172.ccls. or 711/173.ccls.) and dynamic\$4 near6 (allocat\$5 or assign\$5) with (memory or block or chunk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:09
L22	192	(711/170.ccls or 711/171.ccls. or 711/172.ccls. or 711/173.ccls.) and dynamic\$4 near6 (allocat\$5 or assign\$5) near6 (memory or block or chunk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:09
L23	2	(711/170.ccls or 711/171.ccls. or 711/172.ccls. or 711/173.ccls.) and dynamic\$4 near6 (allocat\$5 or assign\$5) near6 (memory or block or chunk) and (cross call\$3 or cross-call\$3 or crosscall\$3 or ping\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:10
L25	38	(711/170.ccls or 711/171.ccls. or 711/172.ccls. or 711/173.ccls.) and dynamic\$4 near6 (allocat\$5 or assign\$5) near6 (memory or block or chunk) and (clean\$3 or dirty)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:10

EAST Search History

L26	641	(dynamic\$4 near3(allocat\$5 or assign\$3) with (memory or block or chunk)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:16
L27	45	(dynamic\$4 near3(allocat\$5 or assign\$3) with (memory or block or chunk)).clm. and I9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:17
L28	83	((crosscall\$3 or cross call\$3 or cross-call\$3 or ping\$3) with (processor or cpu or processing unit)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:23
L29	1	((crosscall\$3 or cross call\$3 or cross-call\$3 or ping\$3) with (processor or cpu or processing unit)).clm. and (dynamic\$4 with (allocat\$5 or assign\$3) with (memory or block or chunk)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:24
L30	3	((crosscall\$3 or cross call\$3 or cross-call\$3 or ping\$3) with (processor or cpu or processing unit)).clm. and ((allocat\$5 or assign\$3) with (memory or block or chunk)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:25
L31	3	((crosscall\$3 or cross call\$3 or cross-call\$3 or ping\$3) same (processor or cpu or processing unit)).clm. and ((allocat\$5 or assign\$3) with (memory or block or chunk)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:25
L32	8	((crosscall\$3 or cross call\$3 or cross-call\$3 or ping\$3) same (processor or cpu or processing unit)).clm. and ((allocat\$5 or assign\$3) and (memory or block or chunk)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:25

EAST Search History

L33	32	((crosscall\$3 or cross call\$3 or cross-call\$3 or ping\$3) and (processor or cpu or processing unit)).clm. and ((allocat\$5 or assign\$3) and (memory or block or chunk)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 07:26
S1	0	prob\$3 with instrumetned program	USPAT	ADJ	ON	2007/06/27 06:41
S12	0	prob\$3 with instrumetned program	USPAT	ADJ	ON	2007/06/24 18:15
S13	5	prob\$3 with instrumented program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15
S14	191	instrumented program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15
S15	5	enabl\$4 probe with program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15
S16	32936	(trac\$3 or prob\$3) near4 program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15
S17	10572	((trac\$3 or prob\$3) near4 program).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15
S18	0	((trac\$3 or prob\$3) near4 instrumented program).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15

EAST Search History

S19	19	((trac\$3 or prob\$3) near4 instrumented program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:15
S20	48	(multi processor or multiprocessor) near8 garbage collect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:18
S21	37	(multi processor or multiprocessor) near8 garbage collect\$4	USPAT	ADJ	ON	2007/06/24 18:15
S22	1	"6874074".pn.	USPAT	ADJ	ON	2007/06/24 18:15
S23	5	@pd>"20070103" and (S21 or S13 or S15 or S19 or S20)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/24 18:19



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Sitemap](#) |

Welcome United States Patent and Trademark Office

Advanced Search

BROWSE






SEARCH

IEEE XPLORE GUIDE

SUPPORT

➤ OPTION 1

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in	All Fields	
AND 	<input type="text"/>	in	All Fields 
AND 	<input type="text"/>	in	All Fields 

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

➤ OPTION 2

Enter keywords, phrases, or a Boolean expression

```
dynamic* <sentence> (allocat* or assign*)
<sentence> (memory or block* or chunk*)
```

464 bits

» **Note:** You may use the search operators <and> or <or> without the start and end brackets <>.

» [Learn more about Field Codes, Search Examples, and Search Operators](#)

② Help

» Publications

 Select publications

- ☒ IEEE Periodicals
- ☒ IET Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IET Conference Proceedings
- ☒ IEEE Standards

» **Other Resources** (Available for Purchase)

- IEEE Books

» Standard Status

(Applies to IEEE Standards only)

Status All

» **Select date range**

- ☐ Search latest content update (25 Jun 2007)
- ☒ From year to

» Display Format

- ☒
- Citation
- ☐
- Citation & Abstract

» Organize results

Maximum 100 

Display 25 results per page

Sort by **Relevance**

In **Descending** order

[Help](#) [Contact Us](#) [Privacy & Security](#) [Il](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by
 Inspect[®]



Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in All Fields	
AND <input checked="" type="checkbox"/>	<input type="text"/>	in All Fields
AND <input checked="" type="checkbox"/>	<input type="text"/>	in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

<div>dynamic* <sentence> (allocat* or assign*) <sentence> (memory or block* or chunk*) and (cross-call* or crosscall* or cross call*) <i>0 hits</i></div> <div> </div>	
---	--

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications**Select publications**

- ☒ IEEE Periodicals
- ☒ IET Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IET Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Standard Status

(Applies to IEEE Standards only)

Status **» Select date range**☐ Search latest content update (25 Jun 2007)☒ From year
to **» Display Format**

- ☒ Citation
- ☐ Citation & Abstract

» Organize resultsMaximum Display results per pageSort by In order[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE - All Rights Reserved



Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in All Fields	
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="text" value="AND"/>	<input type="text"/>	in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

(allocat* or assign*) <sentence> (memory or block* or chunk*) and (cross-call* or crosscall* or cross call* or ping*)

22 hits

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications**Select publications**

- ☒ IEEE Periodicals
- ☒ IET Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IET Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Standard Status

(Applies to IEEE Standards only)

Status **» Select date range**☐ Search latest content update (25 Jun 2007)☒ From year
to **» Display Format**

- ☒ Citation
- ☐ Citation & Abstract

» Organize resultsMaximum Display results per pageSort by In order

ACM Search

+abstract:dynamic* +abstract:allocat* +abstract:cross* ... 8 hits

+abstract:dynamic* +abstract:allocat* +abstract:*call* ... 362 hits

+abstract:dynamic* +abstract:allocat* +abstract:*call* +abstract:processor* ... 73 hits

A handwritten signature in black ink, appearing to be a stylized 'D' or 'R' with a horizontal line underneath.

6/27/07